MATERIAL SAFETY DATA SHEET SCULPTURE SUPPLY CANADA

1. Chemical Product and Company Identification

Chemical Name: Clear Sealer 96

MSDS Date: April 2015

Company Identification Emergency Telephone Numbers

Health Emergency: 905-856-0133 Spill Emergency: 905-856-0133

2. Composition/Information on Ingredients

Chemical Name	CAS REG NO.	Weight (%)	TLV(mg/m ³)	LC ₅₀ /LD ₅₀
Acrylic Emulsion	N/A	60-62	N/A	LD ₅₀ (oral,rat)=5000mg/kg
				LD ₅₀ (dermal,rabbit)>
				5000mg/kg
Dipropylene Glycol	N/A	2-4	N/A	LD ₅₀ (oral,rat)=5000mg/kg
mono(n-butyl) ether				LD ₅₀ (dermal,rabbit)>
				5000mg/kg
E. Glycol Ether EB	N/A	0.4-0.6	N/A	N/A
Propylene Glycol	000057-55-6	0.2-0.4	Not listed	LC ₅₀ (oral,rat)>3000mg/kg
.,				LD ₅₀ (dermal,rabbit)>
				5000mg/kg

3. Hazardous Identification

Primary Routes of Exposure

X Inhalation Skin Absorption X Eye Contact Ingestion X Skin Contact

Effects of Acute Exposure to Product

Inhalation of vapour or mist can cause headache, nausea, irritation of nose, throat and lungs. Direct contact with material can cause irritation to eyes. Prolonged or repeated skin contact can cause skin irritation. Ingestion of liquid may result in gastric disturbances.

4. First Aid Measures

Inhalation

Move victim to fresh air. Aid in breathing, if necessary, and obtain medical attention immediately.

Eye Contact

Immediately flush eyes with running water for a minimum of 15 minutes. Hold eyelids open during flushing. If irritation persists, repeat flushing. If irritation develops obtain medical attention.

PRODUCT: CLEAR SEALER 96 MSDS DATE: APRIL 2015

4. First Aid Measures cont.

Skin Contact

Flush skin with running water and wash affected areas thoroughly with soap and water. Remove and launder contaminated clothing before reuse. If irritation develops obtain medical attention.

Ingestion

If swallowed, dilute with water and immediately induce vomiting. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Get immediate medical attention. General information: Treat symptomatically

5. Fire Fighting Measures

Flash Point: N/A

Auto-Ignition Temperature: N/A Lower Explosive Limit: N/A Upper Explosive Limit: N/A Unusual Hazards: N/A Extinguishing Agents: N/A

6. Handling and Storage

Storage Conditions

Storage temperature should not exceed 30°C (86°F) or fall below 10°C (50°F).

Handling Procedures

N/A

7. Personal Protection

Respiratory Protection

NIOSH/MSHA approved respirator if required. Use local exhaust to control vapours/mists.

Eye Protection

Chemical goggles, also wear a face shield if splashing hazard exists.

Hand Protection

Use gloves and protective clothing made of material which has been found by user to be impervious under conditions of use.

Engineering Controls (Ventilation)

Use local exhaust or general ventilation to keep the airborne concentrations below the applicable exposure limits.

8. Physical and Chemical Properties

Colour: Milky white State: Liquid

Odour Characteristics: Ammonia odour

PH: 8.0-8.5 Viscosity: N/A

Specific Gravity (Water=1): >1 Vapour Density (Air=1): >2.0 Vapour Pressure: N/A Solubility in Water: Miscible

9. Stability and Reactivity

<u>Instability</u> <u>Hazardous Decomposition</u>

Chemically stable Not available

<u>Hazardous Polymerization</u> <u>Conditions to Avoid</u>

Not available Protect from freezing temperatures

10. Toxicological Information

Acute Data: N/A
Oral LD50 – rat: N/A
Dermal LD50 – rabbit: N/A
Skin irritation – rabbit: N/A
Eye irritation – rabbit: N/A